No.



8500140

TO ALL TO WHOM THESE: PRESENTS SHALL COME;

Land O' Lakes, Inc.

Wilhereas, there has been presented to the

Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED NOVEL VARIETY OF SEXUALLY REPRODUCED PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART hereof, and the various requirements of ${\rm LAW}$ in such cases made and provided have BEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW, therefore, this certificate of plant variety protection is to grant UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLI-CANT(S) FOR THE TERM OF YEARS FROM THE DATE OF THIS GRANT, SUBJECT eighteen TO THE PAYMENT OF THE REQUIRED FEES AND PERIODIC REPLENISHMENT OF VIABLE BASIC SEED OF THE VARIETY IN A PUBLIC REPOSITORY AS PROVIDED BY LAW, THE RIGHT TO EX-LUDE OTHERS FROM SELLING THE VARIETY, OR OFFERING IT FOR SALE, OR REPRODUCING IT, IMPORTING IT, OR EXPORTING IT, OR USING IT IN PRODUCING A HYBRID OR DIFFERENT TY THEREFROM, TO THE EXTENT PROVIDED BY THE PLANT VARIETY PROTECTION ACT 15+2, AS AMENDED, 7 U.S.C. 2321 ET SEQ.)

SOYBEAN 'L1771'

In Testimony Withercot, I have hereunto set my hand and caused the seal of the Plant Tariety Protection Office to be affixed at the City of Washington

this 31st day of January

the year of our Lord one thousand nine

hundred and eighty-six

Plant Variety Protection Office

Agricultural Marketing Service

U.S. DEPARTMENT	RE	FORM APPROVED: OMB NO. 0581-0055			
AGRICULTURAL MAI WAREHOUSE & S	RKETING SERV SEED DIVISION	ICE		cation is required in order to determine lant variety protection certificate is to	
APPLICATION FOR PLANT VARIE	TY PROTEC	TION CERTIFICATE	be iss	sued (7 U.S.C. 2421). Information is	
(Instructions		THOM CENTILICATE	1.	confidential until certificate is issued S.C. 2426).	
1. NAME OF APPLICANT(S)		2. TEMPORARY DESIGNATION		ARIETY NAME	
Land O'Lakes, Inc.				L1771	
4. ADDRESS (Street and No. or R.F.D. No., City, State,	, and Zip Code)	5. PHONE (Include area code)		FOR OFFICIAL USE ONLY	
R. R. #2			PVPC	NUMBER	
Webster City, Iowa 50595	. 1	515-543-4852		8500140	
6. GENUS AND SPECIES NAME 7	. FAMILY NAV	IE (Botanical)	1	DATE	
Glycine max	Legumin	logao :	FILING	5/6/85	
Givenic max	певании	losae	=	2:30 A.M. KXP.M.	
8. KIND NAME	9; (DATE OF DETERMINATION	 	AMOUNT FOR FILING	
Soybean		Tonnomer 1009	e	\$1,800	
Boybean		January 1983		DATE	
10. IF THE APPLICANT NAMED IS NOT A "PERSON,	" CIVE FORM 6	NE OBCANIZATION (Comments	RECEIVED	5/6/85	
partitership, association, etc.)	*	or OHGANIZATION (Corporation,	FEES	 \$	
Interregional Farmer Cooperativ	re		12	DATE	
11. IF INCORPORATED, GIVE STATE OF INCORPOR	ATION		12 D	ATE OF INCORPORATION	
Minnesota			'2	1921	
13. NAME AND ADDRESS OF APPLICANT REPRESE	NTATIVE(S), IF	ANY, TO SERVE IN THIS APPLIC	ATION		
Dr. Drew Ivers					
R. R. 2, Answer Farm					
Webster City, Iowa 50595		PHONE (include are	a code)	: 515 -543-4 852	
14. CHECK APPROPRIATE BOX FOR EACH ATTACH	MENT SUBMITT		····		
ann Fickible A Colon and Woods, 17				6.1 ***	
a. X Section 52 of the Plant Variety Protection Act.	anety (See	c. Exhibit C, Objective De from Plant Variety Pro	escripti tection	on of the Variety (Request form Office.)	
b. X Exhibit B, Novelty Statement					
or per statement		d. Exhibit D, Additional I		nt of Ownership	
 DOES THE APPLICANT(S) SPECIFY THAT SEED C SEED? (See Section 83(a) of the Plant Variety Protect 	F THIS VARIE	TY BE SOLD BY VARIETY NAME	ONLY	AS A CLASS OF CERTIFIED	
16. DOES THE APPLICANT(S) SPECIFY THAT THIS V		Yes (If "Yes," answer in			
LIMITED AS TO NUMBER OF GENERATIONS?	Anielibe	17. IF "YES" TO ITEM 16, W BEYOND BREEDER SEE		CEASSES OF PRODUCTION	
Yes No		Foundation	Re	gistered Certified	
18. DID THE APPLICANT(S) FILE FOR PROTECTION	OF THE VARIE	TY IN THE U.S.?	•	Yes (If "Yes," give date)	
(this is first application fo	or nrotecti	on)			
			-	X No	
19. HAS THE VARIETY BEEN OFFERED FOR SALE O					
PINOT SALES	FOR TRIAL	OBSERVATION OCCURRED		Yes (If "Yes," give names of countries and dates)	
U.S.A. PURING WINTER	MONTHS OF	F 1984-85 PJS 5/291	85	□ No	
20. The applicant(s) declare(s) that a viable sample of plenished upon request in accordance with such	of basic seeds o	of this variety will be furnished may be applicable.	with t	he application and will be re-	
The undersigned applicant(s) is (are) the owner(distinct, uniform, and stable as required in Secti Variety Protection Act.	s) of this sexua	lly reproduced novel plant vari	ety, ar provis	nd believe(s) that the variety is ions of Section 42 of the Plant	
Applicant(s) is (are) informed that false represen	ntation herein o	can jeopardize protection and re	sult ii	n penalties.	
IGNATURE OF APPLICANT				TF	
X R Warer	2			15 April 85	
IGNATURE OF APPLICANT			ĎA	TE	
		•			
	Ē		-		

APPROVAL EXPIRES 4-30-86

EXHIBIT A

Origin and Breeding History of the Variety:

- 1. L1771 is a single plant selection from a ${\rm BC_3F_2}$ population of plants from the cross: Max X Altona.
- 2. L1771 has the same pedigree as L4104 and appeared as a very early segregate while we were developing L4104.
- 3. MAX was crossed to Altona for the Rps, gene in Feb. 1977. The BC₁ thru BC₃ were made during 1977 and 1978 and 250 single BC₃F₂ plants harvested in the greenhouse May 1979. September 1979 two very early segregates among the 250 plant rows were identified from the backcross breeding method, one of which was L1771.

L1771 was yield tested in 5 reps at one location in 1980 along with other experimentals and checks and yielded 50.0 bu/a vs 53.7 for L4104. L1771 was 17.4 days earlier in that test. L1771 has been yield tested from 1980 thru 1984, with Breeder's Seed production at our research farm during 1983. Foundation seed was produced at the LOL Research Farm in 1984. Certified seed is being produced in 1985 in Iowa and Minnesota.

- 4. L1771 may have up to 0.1% mechanical mixture of unpreditable identity.
- 5. L1771 reached genetic stability at the BC₃F₂ generation and is homozygous, homogeneous and void of variants to the best of our knowledge.

EXHIBIT B

- L1771 is most similar to the variety L4104 in that it has the same MAX X Altona pedigree and is quite similar in appearance.
- L1771 differs from L4104 primarily by maturity:

L1771 Relative Maturity = 17 L4104 Relative Maturity = 37 Approximately 20 days earlier

L1771 is 4.3 days earlier than Corsoy 79 as documented by 53 reps of data from 18 environments over 4 years in Table 1. Whereas L4104 is 1.4 days earlier than Williams 82 as documented by 48 reps of data from 10 environments over 5 years in Table 2. LSD 5's for maturity have been calculated for each variety each year to be approximately 1 day. Combined data across 4 and 5 years would have LSD 5's for less than 1 day.

L1771 differs from L4104 secondarily by plant height which is directly effected by maturity. Documentation is from the same data cited above:

			·	
	(Table			(inches
THATOR	(rante	4 }	<u>41</u>	("

Difference 7 (inches)

Height

The combined data across locations and years would reveal an LSD $_{0.5}$ for height of less than one inch. Without a doubt, the 7 inch differential is statistically significant.

The comparisons presented for each variety are from the appropriate areas of adaptation rather than a common unadapted area.

With this approach, the maturity and height differences are more realistic. The other approach would result in amplified and exaggerated differences between the two varieties.

TABLE 1. "L1771" 4 YEAR AVERAGE (MG-IIE TESTING)1/

	~ ~					3.2			
	PRR CCD	,	1.0 2.8 1.1	- -		HEROKEE, WAVERLY)		8	500140
	PRR 1 3	1 6	κ. κ. κ. κ.	<u> </u>		LEA, CHEROKEE, Dodge, Waverly)			
	품		2,7 3.7 3.2		79	Α H			
	生三		24 36 39		ABOVE CORSOY	WORTHINGTON,			
	SCR SCR	10	2.4 2.5		ł				
+ × × ×	MAI. DATE	21 E	23,4 25,9	24,8	(* 1 LSD	(DAWSON)			
	 ×	7 27	47.5 47.1	46,4	53	× T			
	1984	+48 N	45.5 +49.4	46.5 2.7 8.0	EL-11E 15	n	1	44.5 +47.6 48.5	45.0 47.4 48.7
VIELD BILZA	1983	44.2*	42,2 +41,0	42.0 1.8 6.5	EL-11E 17	•	43,7	+42.1 45.8 +44.2	43,3 44,0 44,2
717	1982	53,8	53.5 +52.0	52,3 2,8 7,5	EL-11E 15)	55.6	54.8 54.3	55,4
	1981	48.6	52.5* +46.8	44.3 3.5 6.9	EL-1 6	ED ENTRY			43.9
	ENTRY	L1771	Hardin Corsoy 79	Tesr X Tesr LSD 05 Tesr C.V. %	<u>1</u> /Test # Reps # Loc	+MEAN OF DOUBLED	L2330 L2456	L1808 S1492	L16// L4404 L1937
					21	0		·	

8500140

	aga	SCR	3,0	1,5 1,4	1							
	gad	1,3	~	곳 ㅈ ㅉ,	ı			107	(6)			
,	E I	SCR	1,6	5.5 3.4	· · · · · · · · · · · · · · · · · · ·				ABOVE MILLIAMS /9/			
	描	==	41	THE CONTRACTOR AND	•		٠.	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	VE W1	(A.		
	H	SCR	2.2	2,1				CD App	JOH ABO	(PERRY, PELLA)	•	
	MAT.	DATE	31.9	31.6		·		(* 1 LCD	-1 -1	(PERRY		
3		><	53,3	51.0	51.7	1			817	10	•	
		1984	48.0	47.4	8.64	3.1	8'./	11113	12	7	51,5*	53,1*
	U/A	1983	36.2	37.1	37.6	2,4	8,0		12	2	45,8*	41.8*
	YIELD BU	1982	57.9	55.1	55,9	3,4	7.7	ELIII	12	2	57,9	
		1981	72,9* 69.7*	67.2	69.2	5,1	9'9	ELIII	9	2	72.2	
		1980	69,5 58,3	61.6		5.7		MGIIIL	9	5		
	•	ENTRY	L4106 L4104	WILLIAMS 82	Test \bar{X}	Test LSD OF	Test C.V. 7	1/Test	& # REPS	# Loc	A3127	PELLA

TABLE 2." 4104" "4106" 5 YEAR AVERAGE 1

(Soybean)

U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE LIVESTOCK, MEAT, GRAIN & SEED DIVISION PLANT VARIETY PROTECTION OFFICE BELTSVILLE, MARYLAND 20705

OBJECTIVE DESCRIPTION OF VARIETY SOYBEAN (Glycine max L.)

NAME OF APPLICANT(S) TEMPORARY DESIGNATION	VARIETY NAME
Land O'Lakes, Inc.	L1771
ADDRESS (Street and No., or R.F.D. No., City, State, and Zip Code)	FOR OFFICIAL USE ONLY
R. R. 2	PVPO NUMBER
Webster City, Iowa 50595	8500140
Choose the appropriate response which characterizes the variety in the features described in your answer is fewer than the number of boxes provided, place a zero in the first box	below. When the number of significant digits when number is 9 or less (e.g., 0 9).
1. SEED SHAPE:	
	M. A. C. L. T. T. C. L.
	d (L/W ratio > 1.2; L/T ratio = < 1.2) d (L/T ratio > 1.2; T/W > 1.2)
2. SEED COAT COLOR: (Mature Seed)	
1 1 = Yellow 2 = Green 3 = Brown 4 = Black 5 = Othe	r (Specify)
3. SEED COAT LUSTER: (Mature Hand Shelled Seed)	
2 1 = Dull ('Corsoy 79'; 'Braxton') 2 = Shiny ('Nebsoy'; 'Gasoy 17')	
4. SEED SIZE: (Mature Seed)	
1 7 Grams per 100 seeds	
5. HILUM COLOR: (Mature Seed)	
6 1 = Buff 2 = Yellow 3 = Brown 4 = Gray 5 = Imperfect B	ilack 6 = Black 7 = Other (Specify)
6. COTYLEDON COLOR: (Mature Seed)	
1 1 = Yellow 2 = Green	
7. SEED PROTEIN PEROXIDASE ACTIVITY:	
0 1 = Low 2 = High	
8. SEED PROTEIN ELECTROPHORETIC BAND:	
0 1 = Type A (SP1 ^a) 2 = Type B (SP1 ^b)	
9. HYPOCOTYL COLOR:	
1 = Green only ('Evans'; 'Davis') 2 = Green with bronze band below cotyledons 3 = Light Purple below cotyledons ('Beeson'; 'Pickett 71') 4 = Dark Purple extending to unifoliate leaves ('Hodgson'; 'Coker Hampton 266A')	('Woodworth'; 'Tracy')
10. LEAFLET SHAPE:	•
3 1 = Lanceolate 2 = Oval 3 = Ovate 4 = Other (Specify)	

	EAFL	ET SIZE:		
	2	1 = Small ('Amsoy 71'; 'A5312') 3 = Large ('Crawford'; 'Tracy')	2 = Medium ('Corsoy 79'; 'Gasoy	17')
12. LI	EAF C	COLOR:	· .	
	2	1 = Light Green ('Weber'; 'York' 3 = Dark Green ('Gnome'; 'Tracy	2 = Medium Green ('Corsoy 79';	Braxton')
13. FI	LOWE	R COLOR:		
	2	1 = White 2 = Purp	3 = White with purple throat	
14, PC	OD CO	DLOR:		
	2	1 = Tan 2 = Brown	3 = Black	
15. PL	ANT	PUBESCENCE COLOR:		
	2	1 = Gray 2 = Brown (wny)	
16. PI	LANT	TYPES:		
[2	1 = Slender ('Essex'; 'Amsoy 71') 3 = Bushy ('Gnome'; 'Govan')	2 = Intermediate ('Amcor'; 'Brax	ton')
17. PL	ANT	HABIT:		
	3	1 = Determinate ('Gnome'; 'Brax 3 = Indeterminate ('Nebsoy'; 'Im		
18. M	ATUR	RITY GROUP:		
0	4			•
		1 = 000 2 = 00 9 = VI 10 = VII	e=0 4=I 5=II 6=III 1=VHI 12=IX 13=X	7 = IV 8 = V
19. DI	ISEAS		1 = VIII 12 = IX 13 = X	7 = IV 8 = V
E	BACTI	9 = VI 10 = VII	1 = VIII 12 = IX 13 = X	7 = IV 8 = V
E		9 = VI 10 = VII EREACTION: (Enter 0 = Not Te	1 = VIII 12 = IX 13 = X ed; 1 = Susceptible; 2 = Resistant)	7 = IV 8 = V
[BACTI	9 = VI 10 = VII E REACTION: (Enter 0 = Not To	1 = VIII 12 = IX 13 = X ed; 1 = Susceptible; 2 = Resistant) aseoli var. sojensis)	7 = IV 8 = V
֧֓֟֟֟֝֟֓֓֓֓֓֓֓֓֓֓֟֟ ֪֪֪֓֓֞֓֞֓֓֞	BACTI 0	9 = VI 10 = VII E REACTION: (Enter 0 = Not To ERIAL DISEASES: Bacterial Pustule (Xanthomonas)	1 = VIII 12 = IX 13 = X ed; 1 = Susceptible; 2 = Resistant) aseoli var. sojensis)	7 = IV 8 = V
[0 0 0	9 = VI 10 = VII EREACTION: (Enter 0 = Not To ERIAL DISEASES: Bacterial Pustule (Xanthomonas pl Bacterial Blight (Pseudomonas gl)	1 = VIII 12 = IX 13 = X ed; 1 = Susceptible; 2 = Resistant) aseoli var. sojensis)	7 = IV 8 = V
	0 0 0	9 = VI 10 = VII EREACTION: (Enter 0 = Not To ERIAL DISEASES: Bacterial Pustule (Xanthomonas) Bacterial Blight (Pseudomonas gl) Wildfire (Pseudomonas tabaci)	1 = VIII 12 = IX 13 = X ed; 1 = Susceptible; 2 = Resistant) aseoli var. sojensis)	7 = IV 8 = V
	BACTI 0 0 0 JNGA	9 = VI 10 = VII EREACTION: (Enter 0 = Not To ERIAL DISEASES: Bacterial Pustule (Xanthomonas pl Bacterial Blight (Pseudomonas gl Wildfire (Pseudomonas tabaci) L DISEASES:	1 = VIII 12 = IX 13 = X ed; 1 = Susceptible; 2 = Resistant) aseoli var. sojensis) inea)	7 = IV 8 = V
F. [2]	BACTI 0 0 0 JINGA 0	9 = VI 10 = VII EREACTION: (Enter 0 = Not To ERIAL DISEASES: Bacterial Pustule (Xanthomonas gl Bacterial Blight (Pseudomonas gl Wildfire (Pseudomonas tabaci) L DISEASES: Brown Spot (Septoria glycines) Frogeye Leaf Spot (Cercospora se Race 1 0 Race 2	1 = VIII 12 = IX 13 = X ed; 1 = Susceptible; 2 = Resistant) aseoli var. sojensis) inea) 0 Race 3 0 Race 4 0 Ra	ce 5 O Other (Specify)
	BACTI 0 0 0 JINGA 0 0	9 = VI 10 = VII EREACTION: (Enter 0 = Not To ERIAL DISEASES: Bacterial Pustule (Xanthomonas pl Bacterial Blight (Pseudomonas gl Wildfire (Pseudomonas tabaci) L DISEASES: Brown Spot (Septoria glycines) Frogeye Leaf Spot (Cercospora se	1 = VIII 12 = IX 13 = X ed; 1 = Susceptible; 2 = Resistant) aseoli var. sojensis) inea) 0 Race 3 0 Race 4 0 Ra	
	BACTI 0 0 0 JNGA 0 0	9 = VI 10 = VII EREACTION: (Enter 0 = Not To ERIAL DISEASES: Bacterial Pustule (Xanthomonas gl Bacterial Blight (Pseudomonas gl Wildfire (Pseudomonas tabaci) L DISEASES: Brown Spot (Septoria glycines) Frogeye Leaf Spot (Cercospora se Race 1 0 Race 2	1 = VIII 12 = IX 13 = X ed; 1 = Susceptible; 2 = Resistant) aseoli var. sojensis) inea) 0 Race 3 0 Race 4 0 Ra	
	BACTI 0 0 0 JNGA 0 0	9 = VI 10 = VII EREACTION: (Enter 0 = Not To ERIAL DISEASES: Bacterial Pustule (Xanthomonas gl Bacterial Blight (Pseudomonas gl Wildfire (Pseudomonas tabaci) L DISEASES: Brown Spot (Septoria glycines) Frogeye Leaf Spot (Cercospora se Race 1 0 Race 2 Target Spot (Corynespora cassilice	1 = VIII 12 = IX 13 = X ed; 1 = Susceptible; 2 = Resistant) aseoli var. sojensis) inea) 0 Race 3 0 Race 4 0 Ra orum var. manshurica)	
יין רין ריין ריין דין ריין ריין ריין ריי	BACTI 0 0 0 JNGA 0 0	9 = VI 10 = VII EREACTION: (Enter 0 = Not To ERIAL DISEASES: Bacterial Pustule (Xanthomonas gl Bacterial Blight (Pseudomonas gl Wildfire (Pseudomonas tabaci) L DISEASES: Brown Spot (Septoria glycines) Frogeye Leaf Spot (Cercospora se Race 1 0 Race 2 Target Spot (Corynespora cassilice Downy Mildew (Peronospora trife	1 = VIII 12 = IX 13 = X ed; 1 = Susceptible; 2 = Resistant) aseoli var. sojensis) inea) 0 Race 3 0 Race 4 0 Ra orum var. manshurica)	

19.	DISEA	SE REACTION	i: (Enter 0 = Not 1	rested; T = Susceptible; 2 =	Resistant) (Conti	nued)			
•	FUN	GAL DISEASE	S: (Continued)						
	0	Pod and Sten	n Blight <i>(Diaporthe</i>	phaseolorum var; sojae)	•				
	0	Purple Seed S	Stain <i>(Cercospora k</i>	íkuchii)					
	0	Rhizoctonia	Root Rot (Rhizoct	onia solani)		-		•	
		Phytophthora	sytophthora Rot (Phytophthora megasperma var. sojae)						
	2	Race 1	2 Race 2	2 Race 3 2	Race 4	1 Race 5	1 Race 6	1 Race 7	
	1	Race 8	1 Race 9	2 Other (Specify)	10, 12, 14-	16, 18-21			
	VIRA	AL DISEASES:							
	0	Bud Blight (T	Tobacco Ringspot \	/irus)					
	0	Yellow Mosai	ic (Bean Yellow Mo	osaic Virus)					
	0	Cowpea Mosa	ic (Cowpea Chloro	etic Virus)		•			
	0	Pod Mottle (E	Bean Pod Mottle Vi	rus)					
	0	Seed Mottle (Soybean Mosaic V	irus)					
	NEM	ATODE DISEA	ASES:						
		Soybean Cyst	Nematode (Hetero	odera glycines)	<u></u>		·		
		Race 1	0 Race 2	1 Race 3 0	Race 4	Other (Spec	cify)		
	0	Lance Nemate	ode <i>(Hoplolaimus</i> (Colombus)					
	0	Southern Roo	ot Knot Nematode	(Meloidogyne incognita)					-
	0	Northern Roo	ot Knot Nematode	(Meloidogyne Hapla)		•		•	
٠.	0	Peanut Root I	Knot Nematode (M	leloidogyne arenaria)					
	0	Reniform Nen	natode (Rotylench	ulus reniformis)				•	
	0	OTHER DISE	ASE NOT ON FO	RM (Specify):			<u> </u>		
			·	· · · · · · · · · · · · · · · · · · ·					
O, I	PHYSIO 2			0 = Not Tested; 1 = Suscept	ible; 2 = Resistan	t)			
			on Calcareous Soi	ı s a chlorosis ratir	or of 2 6				
		Other (Specify							
1. !		REACTION:	(Enter 0 = Not Tes	ted; 1 = Susceptible; 2 = Re	sistant)	-			-
		Mexican Bean	Beetle (Epilachna	varivestis)	•				
	0	Potato Leaf H	opper (Empoasca f	abae)					
	0	Other (Specify	/)		· · · · · · · · · · · · · · · · · · ·				
2. I	NDICA	TE WHICH VA	RIETY MOST CL	OSELY RESEMBLES THA	SUBMITTED.				
	CHAR	ACTER		E OF VARIETY	CHARAC	TER		OF VARIETY	•
	lant Sha		L	4104	Seed Coat L	uster	L.	4104	·
	eaf Shar			. 11	Seed Size		<u> </u>	11.	
	eaf Colo eaf Size			11	Seed Shape	nontation		11	
	~a. 0126				Seedling Pigr	nentation			

23. GIVE DATA FOR SUBMITTED AND SIMILAR STANDARD VARIETY: Paired Comparison Data

VARIETY	VARIETY .	NO. OF DAYS	DAYS	DAYS	DAYS	DAYS	PLANT LODGING	CM PLANT	LEAFL	ET SIZE	SEED CO	NTENT	SEED SIZE G/100	NO. SEEDS
	MATURITY	SCORE	HEIGHT	CM Width	CM Length	% Protein	% Oil	SEEDS	POD					
L1771 Submitted	110	1.9	86	7.1	13.2	39. 8	20.0	17	3					
L4104 Name of Similar Variety	130	2.8	104	7.4	13.5	41.15	21.0	17	3					

PUBLICATIONS USEFUL AS REFERENCE AIDS FOR COMPLETING THIS FORM:

- 1. Caldwell, B.E., ed. 1973. Soybeans: Improvement, Production, and Uses. Amer. Soc. Agron. Monograph No. 16.
- 2. Buttery, B.R. and R.I. Buzzell. 1968. Peroxidase activity in seeds of soybean varieties. Crop Sci., 8: 722-725.
- 3. Hymowitz, T. 1973. Electrophoretic analysis of SBTI-A2 in the USDA soybean germplasm collection. Crop Sci., 13: 420-421.
- 4. Payne, R.C. and L.F. Morris. 1976. Differentiation of soybean cultivars by seedling pigmentation patterns. J. Seed Technol. 1: 1-19.

EXHIBIT E

Statement of Ownership

L1771 is exclusively owned by Land O'Lakes, Inc. in lieu of the fact that the variety was developed exclusively by the LOL Soybean Breeding Project stationed at the LOL Answer Farm, RR #2, Webster City, Iowa 50595.

L1771 was developed from the cross of MAX⁴ X Altona made by Dr. Drew Ivers (LOL Research Geneticist) and under his direction and at LOL expense advanced to and tested as a variety. This variety will be sold by LOL to its farmer-member-owners and the general public with full sales release in 1986.